

LOTO

LOCKOUT / TAGOUT

PRICE LIST
Lockout/Tagout

2024



LOTO ACCORDING TO MSL 1.1 STANDARD
Locking and marking
- finally easy & safe!

LOCKING SYSTEMS
For every area, the perfect locking.

LABELING SYSTEMS
With our systems, everything
is clearly marked.



OUR ENVIRONMENTAL PROMISE 

MAX Systems produces with **100% green energy**. Most of the plastics for our products are made from recycled materials.

You can help:

Return empty spools, cores, cassettes and sleeves. We will reward you. Or make sure that the plastics get back into the plastic cycle. Thank you!

JUST CONTACT US!

SERVICEHOTLINE +49 (0)47 63 / 9 45 95 - 0

E-MAIL info@maxsystems.de

ONLINESHOP shop.maxsystems.de

VISIT US ON   

Imprint

MAX Systems GmbH · Am Bauhof 12 · 27442 Gnarrenburg
 Phone: +49 (0)47 63 / 9 45 95 - 0 · Fax: +49 (0)47 63 / 9 45 95 -11
info@maxsystems.de · www.maxsystems.de · shop.maxsystems.de
 Reachable by phone: Monday - Friday: 8:00 a.m - 5:00 p.m
 Subject to change without notice. · Sale to traders only. · All prices plus VAT.
 Our general terms and conditions apply to companies.



CONTENT

LOTO-LOCKOUT TAGOUT

Introduction	
Msl 1.1 Standard	4-5
Loto Labels	6-7
Starter Sets	8-9
Loto Sample Boxes	10-11
Locking Systems	
Padlocks	12-21
Multiple Locking Brackets	22-23
Group Locking Boxes	24-25
Locking Cables	26-27
Valve Locking	28-31
End Flange Locking	32
Electrical Locking	33-37
Switch & Pushbutton Locking	38
Pneumatic Locking	39
Locking Stations	40-41
Lockpoint Storage System	42-43
Attachment Labels	44-45



LOTO LOCKOUT / TAGOUT

**FINALLY!
EASY. CHEAP. SAFE.**



Free LOTO MSL 1.1 Guide available for download as a PDF!

Or at maxsystems.de/loto-msl-1-1-standard

In 3 Steps to a Secure LOTO System According to MSL 1.1 Standard:



What is LOTO?

LOTO is the abbreviation of Lockout Tagout, in English „lock and tag“.

Lockout Tagout stands for the secure locking and Taging of energy sources during the maintenance and repair of machines and equipment. It was developed in the US, where the number of accidents at work has already been reduced by over 70% thanks to LOTO. Lockout Tagout is becoming increasingly popular in Europe too.

You want to introduce simple MSL 1.1 standard in your company?

We are happy to advise you! Just talk to us.

Phone: +49 (0) 47 63 / 945 950 Mail: info@maxsystems.de

What is the MSL 1.1 Standard?

The MSL 1.1 standard was developed by MAX Systems to simplify the introduction of a secure lockout tagout system. According to our standard, the start in a LOTO system can already be made with three locks. The use of different closing locks avoids accidents resolving from the incorrect removal of locks, since it is not possible to switch on the system until every employee has removed their lock. The clear labelling of systems and energy points according to MSL 1.1 is the cornerstone of a successful and secure LOTO concept. It ensures understanding and avoids errors during use. A successful implementation of the concept requires training of all concerned employees. Due to the simple system, this can be done in a maximum of 30 minutes.


STARTER SET FOR LOTO



for only
€189
instead of € 546.40 plus VAT

Get started right away with our exclusive starter set for LOTO!*

WITH OUR LOTO LABELS YOU AUTOMATICALLY LABEL ACCORDING TO MSL 1.1 STANDARD!



We give 10% special discount on all LOTO products in the first year – when you buy a labeling system from us. Just talk to us!


Phone: +49 (0) 47 63 / 9 45 950
Mail: info@maxsystems.de



LOCKOUT TAGOUT LABELS

With our LOTO labels you automatically label according to MSL 1.1 standard! All you need is a LabelMax labeling system from MAX Systems. Talk to us - we will be happy to advise you!

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/



LOTO Identification Label
Contains all the important information about Machine/System/Area: Shutdown, Main Responsibility, Employees, E-points, non unlockable energies.



LOTO Energy Point Label
Identification of the energy points



Lock Labels
Easy allocation of your locks for a smooth workflow.



LOTO Energy Point Label
Marking non unlockable energy points.



Key Labels
Easy assignment of your keys. Made of tear resistant polyester film.



LOTO Foil Tape Marking
Beginning/end of non-releasable energies.

You can find the LOTO labels for the LabelMax Series and for the LabelMax MP1 on shop.maxsystems.de

LABELING SET LOTO



When buying a LabelMax labeling system & a LOTO starter set (see page 8-9):

FREE
You save € 723!

LOTO STARTER SET



for only
€ 189

instead of € 546.40 plus VAT

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/



LABELING SET LOTO








When buying a LabelMax labeling system & a LOTO starter set:

FREE

You save € 723!

LOTO Starter Set





Item No.	Product	Colour	Locking System	Content	Price/Pc.	Total Price
 304692	Group Locking Box	red	-	1	€ 169.40	€ 169.40
 305072	Lock SF40AN	red	Various locking	4	€ 13	€ 52
 305073	Lock SF40AN	green	Various locking	1	€ 13	€ 13
 305183	Lock SF40AN	blue	Various locking	3	€ 13	€ 39
 305227	Lock SF40AN	yellow	Various locking	2	€ 13	€ 26
 305076	Lock SF40AN	orange	Various locking	2	€ 13	€ 26
Item No.	Product	Size	Motive	Content	Total Price	
 304945	Lock Label	-	Number range 001-012	24	€ 18	
 304946	LOTO-Ident-Label	100 × 150 mm	Number range 100-150	50	€ 61	
 304947	LOTO-Energy Point-Label	100 × 100 mm	Number range 300-450	150	€ 127	
 304894	LOTO Attachment Label	80 × 147 mm	„Do not operate“ (portrait format)	10	€ 15	
PDF template for the shutdown procedures						



12x LOTO key bands

Total value: € 546.40
Our offer: € 189

LOTO Labeling Set

Item No.	Product	Size	Pc./Roll	Number	Total Price
 110508	LOTO-Ident-Label	100 × 150 mm	175	1	€ 212
 110510	LOTO-Energy Point-Label	100 × 100 mm	250	1	€ 211
 109941	Lock labels, white	30 × 25 mm	750	1	€ 93
 110514	Key labels, white	35 × 10 mm (two piece)	1000	1	€ 109



106904 Ribbon for LabelMax, black

150 metres Endless material

Total value: € 723
Our offer: FOR FREE!*

TEST ALL LOCKS NOW!



LOTO SAMPLE BOXES

Try our locking systems for yourself!

We have put together a selection for different application areas for you. Test for 4 weeks which system suits you best and send the rest back for free!

LOTO sample boxes FREE / Item No. 304943



Order selected LOTO products or the starter set and test the entire assortment free of charge on request!

Phone: +49 (0) 47 63 / 945 950
Mail: info@maxsystems.de

**ORDER - TEST
KEEP OR RETURN!**



As standard we offer all locks with the locking system "Various locking".

On request, we can also supply them with the locking systems "Simultaneously closing" and "various locking with Masterkey closing" or a master key.

PADLOCKS IFAM

IFAM Locks:

All IFAM SF40 series locks have a housing made of high-quality insulating polymer ABS and are resistant to shock, corrosion, UV exposure and extreme temperatures.

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/



SF40AN & SF40AL

Entry-level model: Affordable & safe.



SF40IN

Perfect for indoor & outdoor use.



SF40CABLE

Flexible! Ideal for tight areas.



SF40PN, SF40PL & SF40PD

Electrical area: Material does not conduct.

Lock Series SF40AN & SF40AL - Steel Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305000	Insulating polymer ABS	Steel	38	44	20	38	6	€ 13
305001	Insulating polymer ABS	Steel	38	44	20	72	6	€ 17



Lock Series SF40IN - Stainless Steel Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305002	Insulating polymer ABS	Stainless steel	38	44	20	38	6	€ 16



Lock Series SF40Cable - Cable Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305003	Insulating polymer ABS	Stainless steel	38	44	37.5	80	3.5	€ 19



Lock Series SF40PN, SF40PL & SF40PD - Nylon Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305004	Insulating polymer ABS	Nylon	38	44	20	38	6	€ 14
305005	Insulating polymer ABS	Nylon	38	44	20	72	6	€ 18
305006	Insulating polymer ABS	Nylon	35	45	20	38	4.4	€ 21.90



Choose the desired color for your padlocks:

When ordering, you can simply set the color abbreviation be-hind the Item No., e. g. 305000RED



Explanation of Symbols:





A protective cover (COV) is optionally available for all Master Lock locks!

PADLOCKS MASTER LOCK



Zenex MasterLock locks:

The lock series: 410, S3, S33, S32 & 406 have a housing made of sturdy, thermoplastic Zenex material and are resistant to corrosion, UV exposure, extreme temperatures and chemicals.

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/



410

Perfect all-rounder for all areas.



S32 & 406

Nylon bow: especially for electrical areas!



S31


Ideal for all weather conditions!



S33

Corrosion resistant, easy & safe!

Choose the desired color for your padlocks:
When ordering, you can simply set the color abbreviation be-behind the Item No., e. g. 305008RED



Lock Series 410 - Steel Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305008	Thermoplastic Zenex material	Coated steel	35	44	20	38	6	€ 17
305009	Thermoplastic Zenex material	Coated steel	35	44	20	76	6	€ 20



Lock Series S31 - Stainless Steel Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305010	Thermoplastic Zenex material	316-stainless steel (marine grade)	35	48	16	38	4.76	€ 17
305011	Thermoplastic Zenex material	316-stainless steel (marine grade)	35	48	16	76	4.76	€ 20



Lock Series S33 - Stainless Steel Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305012	Thermoplastic Zenex material	316-stainless steel (marine grade)	38	48	16	38	4.76	€ 17
305013	Thermoplastic Zenex material	316-stainless steel (marine grade)	38	48	16	76	4.76	€ 20



Lock Series S32 - Nylon Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305014	Thermoplastic Zenex material	Nylon	38	44	20	38	5	€ 19



Lock Series 406 - Nylon Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305015	Thermoplastic Zenex material	Nylon	38	44	20	38	6	€ 30.25



Lock Series S31/S32/S33 - Protective Cover (COV)



Item No.	Description	Content	Price/UoS
304640	Covers as set for S31/S32/S33	72 pc.	€ 209



Explanation of Symbols:



PADLOCKS MASTER LOCK



INFO:

As standard we offer all locks with the locking system "Various locking".


Upon request, we can also provide them with the "Keyed alike" and "Different keyed with master key" or a grand master key locking systems.

Locking systems explained simply:


Various locking (Different keyed): Each lock can only be opened by a unique key that does not fit any other lock in the series.



Keyed alike: Each padlock has a key, and all keys are the same, opening any lock in the group.



Different keyed with master key: Each lock has a unique key, and the master key can open all locks in the system.



Aluminium MasterLock Locks:

The MasterLock Lock series S1100 & A1100 have an anodized aluminum housing and are resistant to chemicals and extreme temperatures. Due to their corrosion-resistant surface, they are ideally suited for use in harsh environments. Due to the long-lasting bright colour of the locks, they are also easily visible and provide a high level of security.



S1105/S1106/S1107 & A1105/A1106/A1107
The robust lock for extreme environments!

SCAN ME & ORDER ONLINE!

shop.maxsystems.de/
LOTO/

Lock Series S1105/S1106/S1107 - Chrome-Plated Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305016	Anodized aluminum housing	Chrome-plated shackle made of boron alloy	38	46	20	25	6	€ 24
305018	Anodized aluminum housing	Chrome-plated shackle made of boron alloy	38	46	20	38	6	€ 26
305020	Anodized aluminum housing	Chrome-plated shackle made of boron alloy	38	46	20	75	6	€ 29



Lock Series A1105/A1106/A1107 - Chrome-Plated Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305017	Anodized aluminum housing	Chrome-plated shackle made of boron alloy	38	46	20	25	6	€ 23
305019	Anodized aluminum housing	Chrome-plated shackle made of boron alloy	38	46	20	38	6	€ 25
305021	Anodized aluminum housing	Chrome-plated shackle made of boron alloy	38	46	20	75	6	€ 28



Lock Series S1105-1107/A1105-1107 - Protective Cover (COV)



Item No.	Description	Content	Price/UoS
304866	Covers as set for S1105-7/A1105-7	12 pc.	€ 39.60



Choose the desired color for your padlocks:

When ordering, you can simply set the color abbreviation be-hind the Item No., e. g. 305016RED



Explanation of Symbols:



NEW!



PADLOCKS ABUS



Security Tech Germany

74 ABUS Locks:

The 74 lock is a classic model with an aluminum body and plastic coating in various colours. It's durable, lightweight, and yet massive. It's characterized by its heat resistance and detectability. It's also insulated and suitable for use in hot and electrical environments and the food industry.

72 ABUS Locks:

The 72 locks are extremely robust and, despite their aluminum body, lightweight with good corrosion protection. The numerous colours are intense and provide high recognition value. With its different shackle variants, they are ideal as a complement to the rest of the safety locks.

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/




74 series

A classic! Ideal for hot and electrical environments, as well as the food industry.



72 series

Extremely robust and lightweight - very flexible thanks to different shackle variations.



Choose the desired color for your padlocks:
When ordering, you can simply set the color abbreviation be-hind the Item No., e. g. 305442RED



74 Lock Series

74/40 - Steel Shackle with Plastic Coating

Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305442	Aluminum with plastic coating	Steel with plastic coating	40	52	19	38	6.5	€ 19.20
305534	Aluminum with plastic coating	Steel with plastic coating	40	51	19	75	6.5	€ 22.60

74BS/40 - Steel Shackle

Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305501	Aluminum with plastic coating	Steel	40	50	20	39	4.76	€ 19.20
305535	Aluminum with plastic coating	Steel	40	49	20	76	4.76	€ 22.60

72 Lock Series

72/30 - Steel Shackle

Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
304904	Aluminum	Steel	32	38.5	17	26.5	4.76	€ 16.25
304924	Aluminum	Steel	32	38	17	51	4.76	€ 17.35

72IB/30 - Stainless Steel Shackle

Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305514	Aluminum	Stainless steel	32	38.5	17	26.5	4.76	€ 17.90
305515	Aluminum	Stainless steel	32	38	17	51	4.76	€ 19.00

72/30CAB - Cable Shackle

Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
304925	Aluminum	Stainless steel cable with plastic coating	32	ca. 38	16	flexible up to 100	4.76	€ 21.15
304926	Aluminum	Stainless steel cable with plastic coating	32	ca. 38	16	flexible up to 180	4.76	€ 23.30

Explanation of Symbols:



NEW!

As standard we offer all locks with the locking system "Various locking".

On request, we can also supply them with the locking systems "Simultaneously closing" and "various locking with Masterkey closing" or a master key.

© ABUS August Bremicker Söhne KG

PADLOCKS ABUS



Security Tech Germany

76 ABUS Locks:

The 76 lock series features a solid aluminum body with plastic coating in various colours. It's lightweight, yet sturdy and durable. With its 9 different shackle variants, this lock is extremely flexible for various applications. Additionally, with the world's first 8-pin cylinder, it guarantees over 200,000 different key combinations.



76/40

Suitable for use on sensitive equipment - protects against scratches and provides electrical insulation.



76PS/40

„The electrician's lock“ - thanks to its non-conductive properties.

SCAN ME & ORDER ONLINE!

shop.maxsystems.de/
LOTO/




76IB/40

Weather-resistant and suitable for environments with special liquids/substances, thanks to its stainless steel shackle.




76BS/40

The all-rounder for versatile applications.



76/40CAB

No rigid shackle - ideal for tight areas or multiple locking points.



Choose the desired color for your padlocks:
When ordering, you can simply set the color abbreviation be-hind the Item No., e. g. 305442RED



76 Lock Series

76/40 - Steel Shackle with Plastic Coating



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305528	Aluminum with plastic coating	Steel with plastic coating	40	53	19	38	6.5	€ 24.90
305513	Aluminum with plastic coating	Steel with plastic coating	40	53	19	75	6.5	€ 29.45



76PS/40 - Plastic Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305531	Aluminum with plastic coating	Plastic	40	51	20	39	4.92	€ 24.90



76BS/40 - Steel Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305529	Aluminum with plastic coating	Steel	40	51	20	39	4.76	€ 24.90
305530	Aluminum with plastic coating	Steel	40	51	20	76	4.76	€ 29.45



76IB/40 - Stainless Steel Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305526	Aluminum with plastic coating	Stainless steel	40	51	20	39	4.76	€ 26.90
305527	Aluminum with plastic coating	Stainless steel	40	51	20	76	4.76	€ 26.90



76/40CAB - Cable Shackle



Item No.	Material		Case in mm		Shackle in mm			Price/Pc.
	Case	Shackle	Width	Height	Width	Height	Ø	
305532	Aluminum with plastic coating	Stainless steel cable with plastic coating	40	approx. 51	flexible	flexible up to 90	4.76	€ 29.75
305533	Aluminum with plastic coating	Stainless steel cable with plastic coating	40	approx. 51	flexible	flexible up to 190	4.76	€ 33.85
















Explanation of Symbols:





Multiple Locking Brackets

Item No.	Material	Lock Capacity	Total dimension in mm		Shackle in mm	Price/Pc.
			Width	Height		
 304954	Aluminum with resin coating	6	25	112	25	€ 9
 304955	Aluminum with resin coating	6	38	124	38	€ 10
 304956	Steel with polypropylene coating	6	40	125	25	€ 9
 304957	Steel with polypropylene coating	6	40	131	38	€ 10
 301291	Heavy duty steel	6	44	114	25	€ 9
 301292	Heavy duty steel	6	60	127	38	€ 10
 301241	Aluminum	8	50	149	25 & 38	€ 9
 304958	ABS plastic	2	50	77	26	€ 12.30
 301227	High-performance steel	4	60	82	25	€ 8
 301228	High-performance steel	6	60	168	25	€ 10
 304959	ABS plastic	6	44	180	22-26	€ 7.90
 304960	Aluminum	8	70	180	52	€ 21.25
 304588	Aluminum	12	44	229	25	€ 21
 304589	Aluminum	24	44	343	25	€ 41

MULTIPLE LOCKING BRACKETS

Multiple locking brackets are an effective component of multi-person locking. By installing a bracket, several employees can lock a system with their padlock at the same time. The system can only be switched on again when the last employee has removed his lock from the lock bar.


IDEAL FOR MACHINES WITH ONLY ONE ENERGY POINT.

For machines with only one energy point, a multiple locking bracket is the ideal locking option according to MSL 1.1!

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/

Examples of Applications:





GROUP LOCKING BOXES

Our group locking boxes are the perfect solution for a LOTO system according to MSL 1.1 standard. When using the boxes according to MSL 1.1 standard, the keys of the red locks are stored in the group locking boxes. The box is in turn locked with the green signal lock and each employee can attach his or her individual lock to the box. The keys in the box can only be accessed once the last employee has removed his padlock from the box.

IDEAL FOR MACHINES WITH MORE THAN ONE ENERGY POINT.

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/






For machines with more than one energy point, group locking is the ideal locking option according to MSL 1.1!

Examples of Applications



Item No. 304923

Group Locking Boxes

Item No.	Description	Lock Capacity	Wall Mounting	Portable	Total Dimension in mm			Price/Pc.
					Width	Height	Depth	
 304923	Handy, portable & wall mounting	8	✓	✓	212	175	100	€ 104
 305444	Handy, portable & wall mounting	12	✓	✓	240	174	94	€ 78
 305483	Wall mounting for Item No. 305444 (B835)				174	40	20	€ 11.85
 304596	Large & wall mounting	12+1	✓	✗	308	787	119	€ 294
 301261	Handy & portable	12+1	✗	✓	235	152	95	€ 92.50
 304961	Handy & portable	14+1	✗	✓	185	331.5	88	€ 174
 304665	Large & portable	18+1	✗	✓	306	144	163	€ 169.40
 304692	Large, portable & side window	18+1	✗	✓	306	144	163	€ 169.40
 304693	Large, portable & writable	18+1	✗	✓	306	203	163	€ 210.10

Examples of Applications



Item No. B835




Item No. 304596



Item No. 301261



Item No. 304961



LOCKING CABLES

The adjustable locking cables are a combination of a cable and a housing with multiple locking brackets. They are suitable for simultaneous locking of several valves and circuit breakers, as well as for group and multiple locking – an all-rounder among locks!


THE ALL-ROUNDER AMONG THE LOCKS.

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/

NOTE Do you already know our super flexible padlock with a cable hanger?
See page 13, 24 and 21.




Examples of Applications



Locking Cables

	Item No.	Description	Lock Capacity	Cable Length	Cable Ø	Price/Pc.
	301410	Multi-wire steel cable, insulated with transparent plastic sheathing & extremely resistant thermoplastic Zenex composite housing	4	0.60 m	4 mm	€ 26
	301411		4	0.91 m	4 mm	€ 31
	301349		4	1.80 m	4 mm	€ 26
	304571		4	3.60 m	4 mm	€ 34
	304627		4	4.50 m	4 mm	€ 31
	304687		4	9.00 m	4 mm	€ 48
	304964	Flexible braided steel cable, insulated with transparent plastic sheath	4	2 m	6 mm	€ 23
	304965	Flexible braided steel cable	5	1.8 m	3 mm	€ 24
	304963	Braided steel cable, insulated with red plastic sheath	1	2.4 m	3 mm	€ 21
	304962	Flexible mounting: steel cables & housings are separated from each other	6	3 m	4 mm	€ 25
	305516	Universal cable lock with coated steel cable	6	1 m	4.1 mm	€ 19.40
	305517		6	2 m	4.1 mm	€ 23.25
	305518		6	3 m	4.1 mm	€ 27.55
	305519		6	5 m	4.1 mm	€ 37.70
	305520	Safelex™ universal cable lock incl. patented clamping mechanism (can be tightened at any time!) with coated steel cable	6	1 m	4.1 mm	€ 40.75
	305521		6	2 m	4.1 mm	€ 46.60
	305522		6	3 m	4.1 mm	€ 52.65
	305523		6	5 m	4.1 mm	€ 65.80
	305482	Safelex™ universal cable lock including patented clamping mechanism (can be tightened at any time!) with non-conductive nylon cable	6	1 m	4.6 mm	€ 41.40
	305438		6	2 m	4.6 mm	€ 48.20

Examples of Applications





VALVE LOCKING

Valve locks are installed on the valves of the systems during maintenance and repair work. The valve lock encloses the valve handle so that it cannot be operated by other persons. It is ensured that all employees can carry out the work on the plant without complications.

We have screw valve locks, pressure gas valve locks, flap valve locks and ball valve locks in our assortment.

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/LOTO/

THE RIGHT LOCKING SYSTEM FOR EVERY VALVE.

Valve Locking

Screw Valve Locking - MasterLock




Item No.	Lock Capacity	For Valve Handles with Diameter in mm	Length in mm	Depth in mm	Trunk Opening in mm	Price/Pc.
301249	2	25 - 76	76	28	15	€ 15
301250	3	50 - 127	127	39	38	€ 22
301251	4	101 - 165	170	48	64	€ 31
301252	4	152 - 254	254	62	90	€ 47
301253	4	203 - 330	335	68	95	€ 84

Screw Valve Locking - Ifam



Item No.	Lock Capacity	For Valve Handles with Diameter in mm	Length in mm	Depth in mm	Trunk Opening in mm	Price/Pc.
304970	1	25 - 64	65	30	15	€ 14
304971	1	64 - 127	130	40	40	€ 21
304972	1	127 - 165	170	45	65	€ 31
304973	1	165 - 254	255	60	90	€ 39
304974	1	254 - 330	330	70	95	€ 79



Pressure Gas Valve Locks

Item No.	Description	For Valves in mm	Price/Pc.
305022	Resistant to chemicals, extreme temperatures, corrosion, UV radiation & heavy stress	25 - 35	€ 14
301345	Resistant to chemicals, extreme temperatures & heavy loads; with thermoplastic Zenex composite housing	up to 76	€ 16
304966	Resistant to chemicals, extreme temperatures, corrosion, UV radiation & heavy stress	up to 90	€ 15

Examples of Applications








Examples of Applications



Valve Locking

Valve Locking System

Item No.	Lock Capacity	For Valves in mm	Price/Pc.
 304967	3	40 (lever opening at least 60 mm)	€ 41
 304968	2	5 - 25	€ 21
 304969	2	max. 45	€ 49
 305023	3	universal	€ 26
 304791 (Set*)	3	universal	€ 46

*incl. locking cable 301411

We give 10% special discount on all LOTO products in the first year – when you buy a labeling system from us. Just talk to us!

Phone: +49 (0) 47 63 / 945 950
Mail: info@maxsystems.de

Examples of Applications






Item No. 304967

Item No. 304968

Item No. 304969


Valve Locking

Ball Valve Locking

Item No.	Lock Capacity	For Shut-Off Valve/Valves in mm	Price/Pc.
 304980	6	6.35 - 25	€ 18
 304981	6	31 - 76	€ 37
 301456	1	6.35 - 100	€ 46
 301335	4	13 - 51	€ 37
 304977	3	25 - 165	€ 28
 304978	3	6.5 - 65 (Pipe-Ø 14.5 - 52.5 mm)	€ 29
 304979	3	max. 205 (Pipe-Ø 50 - 200 mm)	€ 56
 304975	2	max. 45 (B), max.170 (L), max. 25 (Thickness)	€ 89
 304976	2	max. 45 (B), max.170 (L), max. 25 (Thickness)	€ 107

Install more locks easily with a multiple locking bracket!
See Page 22.

Examples of Applications



Item No. 301335



Every lock comes in your preferred language! Just let us know.

END FLANGE LOCKING

The closing flange lock completely covers the flange bolts. This prevents access to the aperture until all work on the line has been completed.

The adjustable parts of the locking system allow a secure fit and cover the nuts with which the panels are attached. An exact fit is ensured by the adjustable parts of the locking system and can therefore be used for several flange connections.



NOTE:
Flange and valve covers protect employees from the release of hazardous liquids and gases. Available upon request from us as well.

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/

End Flange Locking

	Item No.	Description	For Nuts with the Diameter	Price/Pc.
	304850	Flange locking	from 19 - 28.5 mm	€ 87
	304868	Flange locking	from 33 - 48 mm	€ 99
	304869	Flange locking	from 52 - 70 mm	€ 146

ELECTRICAL LOCKING

The risk of dangerous accidents involving electrical installations is high. To avoid this, we offer a wide range of locks that make the power supply inaccessible during maintenance and repair work. This allows the work to be carried out in peace and without disturbances. The locks block electrical shutdown points, wall switches, plug connections and other devices.

We have special padlocks for circuit breakers, circuit breaker locking for large and standard switches, D-safety locks for screw locks, mini circuit breaker locks and locking for electrical connectors in our assortment.



SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/







Locks for the Electronic Sector:

See page 13, 15, 19 & 21.




Electrical Locking

Locking for Electrical Connections

Item No.	Suitable for	Application	Lock Capacity	Total Dimension in mm			Cable Ø in mm	Price/Pc.
				Width	Length	Depth		
 301255	120 volt to 240 volt connectors	Rotation function: Lock is turned on and the plug/connector is placed in the construction (ideal for limited areas)	1	70	95	55	25	€ 13
 301256	240 volt to 550 volt connectors	Rotation function: Lock is turned on and the plug/connector is placed in the construction (ideal for limited areas)	2	90	180	75	19	€ 20
 304996	110 volt to 220 volt connectors	Folding function: locking is opened and the plug/connector is placed in the construction	2	78	87.5	50	12	€ 12
 304997	220 volt to 600 volt connectors	Folding function: locking is opened and the plug/connector is placed in the construction	4	120	176	83	25	€ 19
 301242	For oversized connectors & winches	Insert, tighten and lock locking bag	6	Ø 178	432	-	-	€ 28
 301243	For oversized connectors & winches	Insert, tighten and lock locking bag	6	Ø 270	700	-	-	€ 35


Install more locks easily with a multiple locking bracket!
See Page 22.

Examples of Applications








Electrical Locking


Padlock for Circuit Breakers

Item No.	Description	Dimensions in mm	Price/Pc.
 301287	Padlock, various locking	Case: 28 x 19 / Cable: Length 127, Ø 5	€ 11

Circuit Breaker Locking for Large and Standard Switches









Item No.	Lock Capacity	Suitable for	Price/Pc.
 301257	1	wide and high circuit breakers (usually high-voltage/high-current switches)	€ 11
 301258	1	Standard circuit breakers in single and double size (usually for 120 and 240 volt circuit breakers)	€ 8
 301264	1	Set of 301257 & 301258	€ 18
 304987	1	120 mm / 277 Volt	€ 9
 304992	1	120 mm / 277 Volt	€ 12
 304993	1	480 mm / 600 Volt	€ 11
 304994	1	480 mm / 600 Volt	€ 16
 304988	1	480 mm / 600 Volt	€ 16

Examples of Applications




Electrical Locking

Mini Circuit Breaker Locking






	Item No.	Lock Capacity	For Protection Switches with Switch Openings	Price/Pc.
	304995	1	10 mm	€ 11
	304991	1	10.5 mm	€ 11
	301329	1	up to 11 mm	€ 10
	301330	1	from 11 - 13 mm	€ 8
	301331	1	up to 13 mm	€ 8
	304982	1	18 mm	€ 8
	304983	1	18 mm	€ 7
	304984	1	23 mm	€ 7

Examples of Applications





Electrical Locking

Mini Circuit Breaker Locking

	Item No.	Lock Capacity	For Protection Switches with Switch Openings	Price/Pc.
	304985	1	13.8 mm	€ 12.60
	304986	1	22 mm	€ 13.80
	304990	1	22.5 mm	€ 14
	301332	1	Universally applicable	€ 10
	304989	1	Universally applicable	€ 14

D-Safety Locking System for Screw Locks

	Item No.	Suitable for	Price/Pc.
	305085	E14 and E18 threads (for D01 + D02 screw locks NEOZED system)	€ 36
	305086	E27 and E33 threads (for D11 + D111 screw locks DIAZED system)	€ 44

Examples of Applications






SWITCH & PUSHBUTTON LOCKING

The purpose of the covers is to prevent access to a switch or control element. Our range includes covers for wall switches, push buttons and rotary switches of all kinds.





SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/

Wall Switch Locking

Item No.	Name	Price/Pc.
 301259	Wall switch locking	€ 8



Covers for Push Buttons and Rotary Switches

Item No.	Name	Content	Price/UoS
 304699	Removable cover for push buttons and rotary switches	1	€ 18
 301328	Removable cover for push buttons and rotary switches	1	€ 18
 305027	Installation bases (for Item No. 301328)	12	€ 17
 304870	Retrofit bases (for Item No. 301328)	12	€ 21





PNEUMATIC LOCKING



The pneumatic locking blocks the connection of the pneumatic connection to the compressed air source.

SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/

Pneumatic Locking

Item No.	Name	Description	Lock Capacity	Price/Pc.
 304998	Pneumatic locking system for 3 connector types: Type C (6 mm), Type D (9 mm), Type E (12 mm)	Locks pneumatic energies directly at the plug – quickly and easily!	2	€ 18
 304999	Pneumatic locking system with 7 holes Ø 7-20 mm	Locks pneumatic energies and gas/air nozzles with different diameters.	2	€ 21


Examples of Applications






LOCKING STATIONS

Compact Stations
for padlocks, multiple locks
& attachment labels



Medium Stations
for padlocks, multiple locks
& attachment labels



Luxury Stations
for locks of any kind



SCAN ME & ORDER ONLINE!
shop.maxsystems.de/
LOTO/

**ALL STATIONS ARE EMPTY OR
FILLED WITH LOCKS AVAILABLE!**

Locking Stations

Compact Stations for Padlocks, Multiple Locks & Attachment Labels

	Item No.	Description	Content	Price/Pc.
	301305	Compact station for storing locking devices	empty	€ 32
	301311	Compact station for storing locking devices	2x 410RED, 2x 491B, 2x 493B, 4x tags	€ 134
	301299	Powder-coated station made of high-performance steel for 6-8 padlocks	empty	€ 26
	301300	Powder-coated station made of high-performance steel for 18-22 padlocks	empty	€ 32

Medium Stations for Padlocks, Multiple Locks & Attachment Labels

	Item No.	Description	Content	Price/Pc.
	301081	Station for storing 4 padlocks	empty	€ 79
	301082	Station for storing 4 padlocks	4x 410RED, 2x 420, 1x 497A	€ 168
	301083	Station for storing 10 padlocks	empty	€ 116
	301087	Station for storing 20 padlocks	empty	€ 152
	301090	Station for storing 20 padlocks	20x 410RED, 4x 420, 4x 497A	€ 605

Luxury Stations for Locking of Any Kind

	Item No.	Description	Content	Price/Pc.
	301316	Station for the storage of locking devices	empty	€ 185
	301319	Station (Item No. 301 316) with locking devices for electrical applications	6x 410RED, 1x 420, 1x 427, 1x S2005, 1x 488, 2x 491B, 4-493B, 2x 496B, 2x 497A	€ 545
	301323	Luxury storage station	empty	€ 291
	301326	Luxury storage station (Item No. 301 323) with locking devices for valves and electrical area	6x 410RED, 1x 420, 1x 427, 1x 480, 1x 481, 1x 482, 1x 483, 1x S806, 1x 468L, 1x S3068, 1x S2005, 1x 488, 2x 491B, 6x 493B, 2x 496B, 2x 497A	€ 792

LockPoint SingleWall:

LockPoint Variations:



FLEXIBLE-MODIFIABLE-SCALABLE!

LOCKPOINT STORAGE SYSTEM

NEW!

Flexible, adaptable, and scalable - the ABUS LockPoint is the perfect storage system for all LOTO (Lockout/Tagout) products. Its modular design allows it to be tailored and efficient for any work environment in the Lockout/Tagout field. There is the possibility to attach padlock traverses, baskets with optional basket dividers, or document holders. With the optional chassis, the LockPoint is always where it is needed - right at your facility. Made of solid steel, it is perfect for use in an industrial environment.



SCAN ME & ORDER ONLINE!
shop.maxsystems.de/LOTO/

LockPoint SingleWall - Compact with Wall Mounting

Item No.	Description	Content	Price/Pc.
305461	LockPoint SingleWall basic set	1-part perforated wall, 2-part side stand, 1 x "LockPoint" sticker, 1 x traverse for lock storage, 4 x wall brackets with screws	€ 210.08
OPTION PRODUCT LEVEL:			
305428	LockPoint traverse for lock storage	Lock holder for up to 20 locks, height adjustable	€ 37.52
305462	LockPoint basket for SingleWall	Product chute (half depth for SingleWall)	€ 35.09
OPTION ORGANISATION LEVEL:			
305443	LockPoint map pockets DIN A4	Set with 10 pieces (5 x blue, 5 x red) removable map pockets for DIN A4 paper	€ 91.70
305446	LockPoint holder for map pockets	Holder for up to 10 map pockets	€ 14.92
305465	Holder for main switch interlocks (Eurocode)	Insertion hook for storing main switch interlocks such as H701 etc.	€ 2.19
305466	Holder for LOTO tags (attachement labels)	LockPoint holder for LOTO tags dispenser boxes	€ 28.08

LockPoint - Choice of Wall Mounting, Pedestal or Chassis with Double Wheels

Item No.	Description	Content	Price/Pc.
305426	LockPoint basic set	2-part perforated wall, 2-part side stand, 1 x "LockPoint" display attachment, 1 x "LockPoint" insert, 1 x traverse for lock storage (for up to 20 locks)	€ 331.07
DESIGN (Important: When choosing the LockPoint basic set, please specify)			
305154	LockPoint wall mounting	Set of 6 wall brackets including screws for LockPoint	€ 45.09
305157	LockPoint pedestal set, 2 pieces	2-piece set of feet R / L for LockPoint	€ 90.28
305463	LockPoint chassis with double wheels	2-piece roller frame for LockPoint	€ 135.48
OPTION PRODUCT LEVEL:			
305428	LockPoint traverse for lock storage	Lock holder for up to 20 locks, height adjustable	€ 37.52
305427	LockPoint basket	Product chute (inner and outer basket)	€ 73.72
305464	LockPoint basket divider 40 cm	Divider product chute	€ 11.96
OPTION ORGANISATION LEVEL:			
305443	LockPoint map pockets DIN A4	Set with 10 pieces (5 x blue, 5 x red) removable map pockets for DIN A4 paper	€ 91.71
305446	LockPoint holder for map pockets	Holder for up to 10 map pockets	€ 14.92
305502	LockPoint writing tray DIN A4	Height-adjustable desk pad DIN A4	€ 60.12
305465	Holder for main switch interlocks (Eurocode)	Insertion hook for storing main switch interlocks such as H701 etc.	€ 2.19
305466	Holder for LOTO tags (attachement labels)	LockPoint holder for LOTO tags dispenser boxes	€ 28.08

IDENTIFICATION OF LOCKS



Free LOTO MSL 1.1 Guide available for download as a PDF!

Or at maxsystems.de/lot0-msl-1-1-standard

ATTACHMENT LABELS

An important component of Lockout Tagout is the unique marking. Easily point out possible dangers and prohibitions with our attachment labels! The pendants can be attached universally to any lock.


- Can be used indoors and outdoors
- Material: plastic 0.5 mm



Deluxe Label Storage



SCAN ME & ORDER ONLINE!
shop.maxsystems.de/LOTO/



Attachment Labels

	Item No.	Description	Size	Content	Price/UoS
	305536	Portrait format with print "Do not operate"	80 × 147 mm	10 Pc.	€ 15
	305537	Portrait format with print "Do not operate! Work is underway"	80 × 147 mm	10 Pc.	€ 15
	305538	Portrait format with print "Work is underway"	80 × 147 mm	10 Pc.	€ 15
	305539	Portrait format with print "Do not operate"	80 × 147 mm	10 Pc.	€ 14
	305540	Portrait format with print "Do not operate! Work is underway"	80 × 147 mm	10 Pc.	€ 14
	305541	Portrait format with print "Work is underway"	80 × 147 mm	10 Pc.	€ 14
	301315	Deluxe label storage	558 × 279 × 101 mm (WxHxD)	empty	€ 128



LABELING SYSTEMS SIGNS & LABELS LOCKOUT TAGOUT

Reachable by phone:
Monday - Friday: 8:00 - 17:00 Uhr
Phone: +49 (0) 47 63 / 9 45 950

Mail: info@maxsystems.de
Web: www.maxsystems.de
Shop: shop.maxsystems.de

Sale to traders only.
Our terms and conditions apply.
All prices plus VAT.